

INDEX

A

ADDITIONS AND ALTERATIONS	
Defined	202
Requirements	101.2.2.2, 502.2.5
ADMINISTRATION AND ENFORCEMENT	Chapter 1
AIR ECONOMIZERS	803.2.6, 803.3.3.5
AIR INFILTRATION	
Defined	202
Requirements	402.1.3.10
AIR LEAKAGE	502.1.4, 601.3.2.2, 802.3
AIR SYSTEM BALANCING	503.3.3.7, 803.3.8.1
AIR TRANSPORT FACTOR	
Defined	202
Requirements	503.3.3.6
ALTERNATE MATERIALS	103
ANNUAL FUEL UTILIZATION EFFICIENCY	
Defined	202
APPROVED	
Defined	202
AUTOMATIC	
Defined	202

B

BALANCING	503.3.3.7, 803.3.8
BALLASTS	805.3
BASEMENT WALLS	
Defined	202
Requirements	402.2.3.10, Table 502.2, Figure 502.2(6), 502.2.1.6, 502.2.3.6, Tables 502.2.4(1-9), 502.2.4.9, Table 602.1, 602.1.5, 802.1.1.2, Tables 802.2(1-37), 802.2.8
BELOW-GRADE WALLS (see BASEMENT WALLS)	
BI-LEVEL SWITCHING	805.2.2.1
BOILERS	Table 503.2, Table 803.2.2(5), 804.2
BUILDING ENVELOPE	
Compliance documentation	104, 402.5, 806.5
Defined	202
Requirements	402, 502, 602, 802
System performance criteria	402.2.1, 402.2.3.3, 806.4
System performance method	402, 806

C

CAULKING AND WEATHERSTRIPPING	502.1.4.2, 602.1.10, 802.3.2
CIRCULATING PUMPS	504.4, 804.6
CIRCULATING SYSTEMS	504.3, 504.4, 504.7, 804.4
CLIMATE DATA	302

CLIMATE ZONES	Table 302.1
By state	Figures 902.1(1-51)
Envelope requirements	Tables 802.2(1-37)
COEFFICIENT OF PERFORMANCE (COP)	
Defined	202
COMBINED SERVICE WATER HEATING AND SPACE HEATING	504.2.2
COMMERCIAL BUILDINGS	
Compliance	101.3.2
Defined	202
Design by acceptable practice	Chapter 8
Design by referenced standard	Chapter 7
Design by total building performance	806
COMMISSIONING OF HVAC SYSTEMS	503.3.3.7, 803.3.8
Manuals	803.3.8.3
COMPLIANCE AND ENFORCEMENT	101.4
CONDITIONED FLOOR AREA	
Defined	202
CONDITIONED SPACE	
Defined	202
CONSERVATION OF WATER	504.6
CONTROLS	
Capabilities	503.3.2.2, 803.3.3
Economizers	803.2.6, 803.3.3.5
Heat pump	803.3.3.1.1
Heating and cooling	402.2.3.4, Table 402.2.3.4, 803.3.3
Humidity	503.3.2.4, 803.2.3.3
Hydronic systems	803.2.4, 803.3.3.7
Lighting	805.2
Off hour	803.3.3.3
Service water heating	504.3, 504.4, 804.2, 804.6
Shutoff dampers	803.2.7, 803.3.4
Temperature	503.3.2.1, 803.2.3.1
Variable air volume systems	803.3.3.6, 803.3.4
Ventilation	803.2.5, 803.3.5
COOLING WITH OUTDOOR AIR	803.2.6, 803.3.3.5
CRAWL SPACE WALLS	
Defined	202
Requirements	502.1.5, 502.2, Table 502.2, Figure 502.2(5), 502.2.3.5, Tables 502.2.4(1-9), 502.2.4.12, Table 602.1, 602.1.7

D

DEADBAND	202, 503.3.2.2, 803.3.3.2
DEFINITIONS	Chapter 2
DEGREE DAY COOLING	
Defined	202
DEGREE DAY HEATING	
Defined	202

DESIGN CONDITIONS	Chapter 3
DETAILS	Appendix
DUAL DUCT VAV	803.3.4.2
DUCTS	
Defined	202
Insulation	503.3.3.3, 803.2.8
Sealing	503.3.3.4, 803.2.8, 803.3.6, 805.1,
DWELLING UNIT	
Defined	202

E

ECONOMIZER	
Air	803.2.6, 803.3.3.5
Defined	202
Requirements	803.2.6, 803.3.4.3, 803.3.3.5
Water	803.3.3.5
ELECTRICAL POWER AND LIGHTING	505, 805
ENERGY ANALYSIS, ANNUAL	
Defined	202
Documentation	402.6, 806.5
Requirements	402.1, 806
ENERGY EFFICIENCY RATIO (EER)	
Defined	202
ENVELOPE, BUILDING	
Defined	202
ENVELOPE DESIGN PROCEDURES	502.2.1, 502.2.2, 502.2.3, 502.2.4, 602, 802
EQUIPMENT EFFICIENCIES	503.2, 504.2, 603, 803.2, 803.3.2, 804.2, 806.3.1, 806.4.1
EQUIPMENT PERFORMANCE REQUIREMENTS	
Boilers	Table 803.2.2(5)
Chillers, nonstandard	Tables 803.3.2(1-2)
Condensing units	Table 803.3.2(1)
Economizer exception	Table 803.2.6
General, residential	Table 503.2
Heat rejection equipment	Table 803.3.2(6)
Packaged terminal air conditioners and heat pump	Table 803.2.2(3)
Unitary air conditioners and condensing units	Table 803.2.2(1)
Unitary and applied heat pumps	Table 803.2.2(2)
Warm air duct furnaces and unit heaters	Table 803.2.2(4)
Warm air furnaces	Table 803.2.2(4)
Warm air furnaces/air-conditioning units	Table 803.2.2(4)
Water chilling packages, standard	Table 803.3.2(2)
Water heating	504.2, Table 504.2.1, 804.2
EXEMPT BUILDINGS	101.2.1
EXISTING BUILDINGS	101.2.2
EXTERIOR LIGHTING	805.5
EXTERIOR SHADING	402.1.3.1.3, 802.2.3

EXTERIOR WALLS

Defined	202
Thermal performance	402.2.1.1, 502, 802

F

FENESTRATION	102.5, 402.2.1.2, 601.3.2
Defined	202
Rating and labeling	102.5, 601.3.2
FURNACE EFFICIENCY	Table 503.2, Table 803.2.2(4)
Defined	202

G

GUESTROOMS	805.2.2.1
GLAZING AREA	
Defined	202
Requirements	402.2.1.3, 502.2, 502.2.1, 502.2.2, 502.2.3, 502.2.4, 502.2.5

H

HEAT CAPACITY	
Defined	202
Requirements	502.2.1.1.2, Tables 502.2.1.1.2(1-3), 502.2.4.17, Tables 502.2.4.17(1-2)
HEAT PUMP	Table 503.2, Tables 803.2.2(2-3)
Defined	202
HEAT TRAPS	504.7, 804.4
Defined	202
HEATING AND COOLING CRITERIA	Table 502.2
HEATING AND COOLING LOADS	402.4.1, 402.5.6, 503.3.1, 803.2.1, 803.3.1
HOT WATER	504.4, 804.2
Annual energy performance	402.2.3.6, 402.4
Piping insulation	504.5, 804.5
System controls	504.3, 504.4, 804.2, 804.6
HUMIDISTAT	
Defined	202
Requirements	503.3.2.4, 803.2.3.2, 803.3.3.1
HYDRONIC SYSTEM BALANCING	803.3.8.2

I

IDENTIFICATION (MATERIALS, EQUIPMENT AND SYSTEM)	102.1
INDIRECTLY CONDITIONED SPACE (see CONDITIONED SPACE)	
INFILTRATION, AIR LEAKAGE	402.2.3.9, 502.1.4, 802.3
Defined	202
INSPECTIONS	105

INSULATION
 Identification 102.5
 Installation 102.4, 601.3.1

INSULATING SHEATHING
 Defined 202
 Requirements 502.2.4.1, 502.2.4.16

INTEGRATED PART LOAD VALUE
 Defined 202

INTERIOR LIGHTING POWER 805.5

L

LABELED
 Defined 202
 Requirements 102.3, 102.5.2, 601.3.2, 601.3.3

LIGHTING POWER
 Design procedures 805.5.2
 Exterior connected 805.6, 806.2.8
 Interior connected 805.5, Table 805.5.2, 806.4.7
 Manufacturer's information 102.3, 601.3.3

LIGHTING SYSTEMS 505, 605, 805
 Controls, additional 805.2.2
 Controls, exterior 805.2.3
 Controls, interior 805.2.1
 Decorative Table 805.5.2
 For visual display terminals Table 805.5.2
 Guestrooms 805.2.2.3
 Line voltage 805.5.1.4
 Merchandise Table 805.5.2
 Plug-in busway 805.5.1.4
 Track 805.5.1.4

LISTED
 Defined 202

LOW-VOLTAGE LIGHTING
 Defined 202
 Requirements 805.4.1.2

LUMINAIRE
 Defined 202

M

MANUALS 803.3.8.3

MATERIALS AND EQUIPMENT 102, 601.3

MECHANICAL SYSTEMS AND EQUIPMENT 503, 603.3, 803

MECHANICAL VENTILATION 503.3.3.5, 803.5
 Defined 202

MOISTURE CONTROL 502.1.1, 802.1.2

MULTIFAMILY DWELLING
 Defined 202

MULTIPLE SINGLE-FAMILY DWELLING (TOWNHOUSE)
 Defined 202

MULTIPLE ZONE SYSTEMS 803.3.4

N

NONCIRCULATING SYSTEMS 804.4

NONDEPLETABLE/RENEWABLE ENERGY SOURCES
 Defined 202
 Requirements 806.2.4

O

OCCUPANCY
 Defined 202
 Requirements 101.2.2.4, 101.2.3

OCCUPANCY SENSORS 805.2.1.1

OFF-HOUR, CONTROLS 803.3.3.3

OPAQUE AREAS
 Defined 202

ORIENTATION 402.2.2.1, 402.2.3.1.1, 402.5.3

OVERHANG, PROJECTION FACTOR 802.2.3

OZONE DEPLETION FACTOR
 Defined 202

P

PACKAGED TERMINAL AIR CONDITIONER (PTAC)
 Defined 202
 Requirements Table 803.2.2(3)

PACKAGED TERMINAL HEAT PUMP
 Defined 202
 Requirements Table 803.2.2(3)

PARALLEL PATH CORRECTION FACTORS 502.1.1.1, Table 502.2.1.1.1

PHOTOCELL 805.2.2

PIPE INSULATION 503.3.3.1, 503.3.3.2, 504.5, 803.2.9, 803.3.7, 804.5

PLANS AND SPECIFICATIONS 104

POOL COVERS 504.3.2

PROJECTION FACTOR 802.2.3

PROPOSED DESIGN
 Defined 202
 Requirements 402, 502.2.2, 806

PUMPING SYSTEMS 504.3, 504.4, 803.3.3.7.1, 803.3.8.2

R

R-VALUE (see THERMAL RESISTANCE)

RECOOLING 803.3.4

REFERENCED STANDARDS 107, Chapter 10

REHEATING 803.3.4

RENEWABLE/NONDEPLETABLE ENERGY SOURCES 806.2.4
 Defined 202

REPAIR		STANDARD TRUSS	502.2.4.5, 602.1.2
Requirements	101.2.2.2	Defined	202
Defined	202	SUNROOM ADDITION	502.2.5
RESET CONTROL	803.3.3.7.4	Defined	202
RESIDENTIAL BUILDINGS		SWIMMING POOLS	504.3
Compliance	101.4.1	SYSTEMS ANALYSIS	402, 806
Defined	202		
Design by component performance	Chapter 5	T	
Design by system analysis and renewable sources	Chapter 4	TANDEM WIRING	805.3
Design using simplified prescriptive requirements	Chapter 6	TERMITE	
ROOF ASSEMBLY		INFESTATION	Table 502.2, Figure 502.2(7)
Defined	202	THERMAL ISOLATION	502.2.5, Table 502.2.5
Requirements	Figure 502.2(2), 502.2.1.2, 502.2.3.2, Tables 502.2.4(1-9), 502.2.4.7, Table 602.1, 602.1.2	Defined	202
S		THERMAL	
SCOPE	101.2	MASS	502.2.1.1.2, Tables 502.2.1.1.2(1-3), 502.2.4.17, Tables 502.2.4.17(1-2)
SCREW LAMP HOLDERS		THERMAL RESISTANCE (R)	
Defined	202	Defined	202
Requirements	805.5.1.1	THERMAL TRANSMITTANCE (U)	
SEASONAL ENERGY EFFICIENCY RATIO		Defined	202
Defined	202	TOTAL BUILDING PERFORMANCE	
SERVICE WATER HEATING		Commercial	806
Defined	202	Residential	402
Requirements	504, 604, 804, 806.2.8, 806.3.1	TOWNHOUSE (see MULTIPLE SINGLE-FAMILY DWELLING)	
SHADING	402.2.3.1.2, 402.2.3.1.3, 402.2.3.1.4	TYPE A-1 AND A-2 RESIDENTIAL BUILDINGS (see RESIDENTIAL BUILDINGS)	
Projection factor	802.2.3	U	
SHOWER HEADS	504.6.1	U-FACTOR (see THERMAL TRANSMITTANCE)	
SHUTOFF DAMPERS	503.3.3.5, 803.3.3.4	V	
SIMULATION TOOL		VAPOR RETARDER	502.1.1, 802.1.2
Defined	202	VARIABLE AIR VOLUME	
Requirements	402.4.7, 806.2.1	SYSTEMS (VAV)	803.3.3.6, 803.3.4
SINGLE ZONE	503.1, 803.2	VENTILATION	503.3.3.5, 803.2.5, 803.3.5
SIZING		Defined	202
Equipment and system	803.2.1, 803.3.1.1	W	
SKYLIGHTS	402.2.1.4, 502.2.1.22.1, 602.4, 502.2.5	WALLS (see EXTERIOR WALLS AND ENVELOPE, BUILDING)	
Defined	202	WALLS ADJACENT TO UNCONDITIONED SPACE	802.1.1.3, Tables 802.2(1-37), 802.2.9
Maximum exempt area	502.2.4.4, 802.2.5	WATER CONSERVATION	504.6
SLAB-EDGE INSULATION	102.4.1, Figure 502.2(3), 502.2.1.4, 502.2.3.4, Tables 502.2.4(1-9), 502.2.4.10, 502.2.4.11, Table 602.1, 602.1.6, Tables 802.2(1-37), 802.2.7	WATER ECONOMIZER	803.3.3.5
SOLAR HEAT GAIN COEFFICIENT (SHGC)	102.5.2	WATER HEATING	504, 604, 804, 806.2.8, 806.3.1
STANDARD DESIGN		WINDOW AREA (see GLAZING AREA)	
Defined	202	WINDOW PROJECTION FACTOR	
STANDARDS, REFERENCED	107, Chapter 10	Defined	202
STEEL FRAMING	502.2.1.1.1, 502.2.1.2, 502.2.1.3, 502.2.3.1, 502.2.3.2, 502.2.3.3, 502.2.4.16, Tables 502.2.4.16(1-2), 502.2.4.18, Tables 502.2.4.18(1-2), 502.2.4.19, Table 502.2.4.19	Requirements	802.2.3
		WINDOW-TO-WALL RATIO (see GLAZING AREA)	

WIRING, TANDEM805.3

Z

ZONE

Defined202

Requirements..... Table 402.2.3.4, 503.3.2.1,
803.3.3, 803.3.4

ZONE ISOLATION803.3.4

NEW YORK STATE CODE

2nd DRAFT

COPYRIGHT® ICC 2005

NEW YORK STATE CODE

2nd DRAFT

COPYRIGHT® ICC 2005