

Part IX—Referenced Standards

CHAPTER 43 REFERENCED STANDARDS

This chapter lists the standards that are referenced in various sections of this document. The standards are listed herein by the promulgating agency of the standard, the standard identification, the effective date and title, and the section or sections of this document that reference the standard. The application of the referenced standard shall be as specified in Section R102.4.

AAMA American Architectural Manufacturers Association
1827 Walden Office Square, Suite 550
Schaumburg, IL 60173

Standard reference number	Title	Referenced in code section number
101/I.S2—97	Voluntary Specifications for Aluminum, Vinyl (PVC) and Wood Windows and Glass Doors	R613.3, N1101.3.2.2,
101/I.S2/NAFS—02	Voluntary Performance Specification for Windows, Skylights and Glass Doors	R308.6.9, R613.3, N1101.3.2.

ACI American Concrete Institute
38800 Country Club Drive
Farmington Hills, MI 48333

Standard reference number	Title	Referenced in code section number
318—02	Building Code Requirements for Structural Concrete	R402.2, R404.1, R404.4, R404.4.6.1, Table R404.4(1), Table R404.4(2), Table R404.4(3), Table R404.4(4), Table R404.4(5), R611.1, Table R611.3(1), Table R611.7(1), Table R611.7(2), Table R611.7(3), Table R611.7(4), Table R611.7(5), Table R611.7(6), Table R611.7(7), Table R611.7(9), Table R611.7(10), R611.7.1.1, Table R611.7.4, R612.1
530—02	Building Code Requirements for Masonry Structures	R404.1, R606.1, R606.1.1, R606.11.1, R606.11.2.2.1, R606.11.2.2.2, R606.11.3.1
530.1—02	Specifications for Masonry Structures	R404.1, R606.1, R606.1.1, R606.11.1, R606.11.2.2.1, R606.11.2.2.2, R606.11.3.1

ACCA Air Conditioning Contractors of America
2800 Shirlington Road, Suite 300
Arlington, VA 22206

Standard reference number	Title	Referenced in code section number
Manual D—95	Residential Duct Systems	M1601.1, M1602.2
Manual J—87	Residential Load Calculation—Seventh Edition	M1401.3

AFPA American Forest and Paper Association
111 19th Street, NW, Suite 800
Washington, DC 20036

Standard reference number	Title	Referenced in code section number
NDS—01	National Design Specification (NDS) for Wood Construction—with 2001 Supplement	R404.2.2, R502.2, Table R503.1, R602.3, R802.2
WFCM—2001	Wood Frame Construction Manual for One- and Two-family Dwellings	R301.2.1.1
AFPA—93	Span Tables for Joists and Rafters	R502.3, R802.4, R802.5
T.R. No. 7—87	Basic Requirements for Permanent Wood Foundation System	R401.1

REFERENCED STANDARDS

AHA

American Hardboard Association
1210 West Northwest Highway
Palatine, IL 60067

Standard reference number	Title	Referenced in code section number
A135.4—95	Basic Hardboard	Table R602.3(1)
A135.5—95	Prefinished Hardboard Paneling	R702.5
A135.6—98	Hardboard Siding	Table R703.4
A194.1—85	Cellulosic Fiber Board	Table R602.3(1)

AIISI

American Iron and Steel Institute
1140 Connecticut Ave, Suite 705
Washington, DC 20036

Standard reference number	Title	Referenced in code section number
Header—2001	Standard for Cold-formed Steel Framing-Header Design, 2001	R603.6
PM—2001	Standard for Cold-formed Steel Framing-Prescriptive Method for One- and Two-family Dwellings	R301.1.1, R301.2.1.1(4), R301.2.2.4.1, R301.2.2.4.5
Truss—2001	Standard for Cold-formed Steel Framing-Truss Design	R804.1.3

AITC

American Institute of Timber Construction
7012 S. Revere Parkway, Suite 140
Englewood, CO 80112

Standard reference number	Title	Referenced in code section number
AITC A 190.1—92	Structural Glued Laminated Timber	R502.1.5, R602.1.2, R802.1.4

ANSI

American National Standards Institute
25 West 43rd Street, Fourth Floor
New York, NY 10036

Standard reference number	Title	Referenced in code section number
A108.1A—99	Installation of Ceramic Tile in the Wet-set Method, with Portland Cement Mortar	R702.4.1
A108.1B—99	Installation of Ceramic Tile, Quarry Tile on a Cured Portland Cement Mortar Setting Bed with Dry-set or Latex-Portland Mortar	R702.4.1
A108.4—99	Installation of Ceramic Tile with Organic Adhesives or Water Cleanable Tile-setting Epoxy Adhesive	R702.4.1
A108.5—99	Installation of Ceramic Tile with Dry-set Portland Cement Mortar or Latex-Portland Cement Mortar	R702.4.1
A108.6—99	Installation of Ceramic Tile with Chemical Resistant, Water Cleanable Tile-setting and -grouting Epoxy	R702.4.1
A108.11—99	Interior Installation of Cementitious Backer Units	R702.4.1
A118.1—99	American National Standard Specifications for Dry-set Portland Cement Mortar	R702.4.1
A118.3—99	American National Standard Specifications for Chemical Resistant, Water Cleanable Tile-setting and Grouting Epoxy and Water Cleanable Tile-setting Epoxy Adhesive	R702.4.1
A136.1—99	American National Standard Specifications for Organic Adhesives for Installation of Ceramic Tile	R702.4.1
A137.1—88	American National Standard Specifications for Ceramic Tile	R702.4.1
A208.1—99	Particleboard	R503.3.1, R605.1
FC 1—2003 CSA American	Standard Fuel Cell Power Systems	M1903, G2454
LC1—97	Interior Fuel Gas Piping Systems Using Corrugated Stainless Steel Tubing	G2414.5.3
Z21.1—00	Household Cooking Gas Appliances	G2447.1

ANSI—continued

Z21.5.1—99	Gas Clothes Dryers—Volume I—Type I Clothes Dryers	G2438.1
Z21.8—94	Installation of Domestic Gas Conversion Burners	G2443.1
Z21.10.1—00	Gas Water Heaters—Volume I—Storage, Water Heaters with Input Ratings of 75,000 Btu per hour or Less.	G2448.1
Z21.10.3—98	Gas Water Heaters—Volume III—Storage, Water Heaters with Input Ratings above 75,000 Btu per hour, Circulating and Instantaneous Water Heaters—with Z21.10.3a-99 Addendum	G2448.1, G2408.2
Z21.11.1—91	Gas-fired Room Heaters—Volume I—Vented Room Heaters—with 1993 Addendum (Replaced by Z21.86-98/CSA 2.32 - M98, Vented Gas-fired Space Heating Appliances)	G2446.1
Z21.11.2—96	Gas-fired Room Heaters—Volume II—Unvented Room Heaters—with Addendum A-97 and Addendum B-98.	G2445.1
Z21.13—99	Gas-fired Low Pressure Steam and Hot Water Boilers	G2452.1
Z21.15—97	Manually Operated Gas Valves for Appliances, Appliance Connector Valves and Hose End Valves	G2420.1.1
Z21.21—95	Standard for Automatic Valves for Gas Appliances.	G2432.2
Z21.22—99	Relief Valves for Hot Water Supply Systems	P2803.2
Z21.40.1—96	Gas-fired Heat Activated Air Conditioning and Heat Pump Appliances—with Z21.40.1a-98 Addendum	G2449.1
Z21.40.2—96	Gas-fired Work Activated Air Conditioning and Heat Pump Appliances (Internal Combustion)—with Z21.40.2a-97 Addendum	G2449.1
Z21.42—93	Gas-fired Illuminating Appliances	G2450.1
Z21.47—00	Gas-fired Central Furnaces—with Addendum Z21.47a-00	617.1, G2442.1
Z21.48—92	Gas-fired Gravity and Fan-type Floor Furnace—with Addendum A-1993 (Replaced by Z21.86—98/CSA 2.32—M98, Vented Gas-fired Space-heating Appliances)	G2437.1
Z21.49—92	Gas-fired Gravity and Fan-type Vented Wall Furnaces—with Addendum B-1994 (Replaced by Z21.86—98/CSA 2.32—M98, Vented Gas-fired Space-heating Appliances)	G2436.1
Z21.50—2000	Vented Gas Fireplaces—with Addendum A-1999 and Addendum B-1999	G2434.1
Z21.56—98	Gas-fired Pool Heaters—with Addendum Z21.56a-99.	616.1, G2441.1
Z21.58—95	Outdoor Cooking Gas Appliances—with Addendum Z21.58a-1998.	622.1, G2447.1
Z21.60—2000	Decorative Gas Appliances for Installation in Vented Fireplaces	G2432.1
Z21.84—99	Manually-listed, Natural Gas Decorative Gas Appliances for Installation in Solid Fuel Burning Fireplaces	G2432.1, G2432.2
Z21.86—98/CSA 2.32 M98	Gas-fired Vented Space Heating Appliances	G2436.1, G2437.1, G2446.1
Z21.88—99	Vented Gas Fireplace Heaters	G2435.1
Z83.6—90 (R 1998)	Gas-fired Infrared Heaters	G2442.1, G2449.1, G2451.1
Z83.8—96	Gas-fired Unit Heaters—with Addendum Z83.8a-1997	G2444.1
Z97.1—84(R1994)	Safety Glazing Materials Used in Buildings—Safety Performance Specifications and Methods of Test (Reaffirmed 1994)	R308.3
Z124.1—95	Plastic Bathtub Units.	Table P2701.1
Z124.2—95	Plastic Shower Receptors and Shower Stalls	Table P2701.1
Z124.3—95	Plastic Lavatories	Table P2701.1, P2711.1, P2711.2
Z124.4—96	Plastic Water Closet Bowls and Tanks.	Table P2701.1, P2712.1
Z124.6—97	Plastic Sinks	Table P2701.1

APA	APA-The Engineered Wood Association P. O. Box 11700 Tacoma, WA 98411-0700	Referenced in code section number
	Standard reference number	
APA E30—01	Engineered Wood Construction Guide	R803.2.3

ASCE	American Society of Civil Engineers 1801 Alexander Bell Drive Reston, VA 20191	Referenced in code section number
	Standard reference number	
5—02	Building Code Requirements for Masonry Structures	R404.1, R606.1, R606.1.1, R606.11.1, R606.11.2.2.1, R606.11.2.2.2, R606.11.3.1
6—02	Specifications for Masonry Structures	R404.1, R606.1, R606.1.1, R606.11.1, R606.11.2.2.1, R606.11.2.2.2, R606.11.3.1
7—02	Minimum Design Loads for Buildings and Other Structures.	R301.2.1.1, R802.2, R802.5
32—01	Design and Construction of Frost Protected Shallow Foundations	R403.1.4.1

REFERENCED STANDARDS

ASHRAE
 American Society of Heating, Refrigerating
 and Air-Conditioning Engineers, Inc.
 1791 Tullie Circle, NE
 Atlanta, GA 30329

Standard reference number	Title	Referenced in code section number
34—2001	Designation and Safety Classification of Refrigerants	M1411.1
ASHRAE—2001	ASHRAE Fundamentals Handbook—2001	P3001.2, P3002.3, P3101.4, P3103.2

ASME
 American Society of Mechanical Engineers
 Three Park Avenue
 New York, NY 10016-5990

Standard reference number	Title	Referenced in code section number
A112.1.2—1991(R1998)	Air Gaps in Plumbing Systems	Table P2902.2, P2902.2.1
A112.1.3—2000	Air Gap Fittings for Use with Plumbing Fixtures, Appliances, and Appurtenances	Table P2701.1, P2902.2.1
A112.3.4—2000	Macerating Toilet Systems and Related Components	Table P2701.1, P3007.2.1
A112.4.1—1993(R1998)	Water Heater Relief Valve Drain Tubes	P2803.6.2
A112.4.3—1999	Plastic Fittings for Connecting Water Closets to the Sanitary Drainage System	P3003.4.5
A112.6.1M—1997	Floor Affixed Supports for Off-the-floor Plumbing Fixtures for Public Use	P2702.4
A112.6.2—2000	Framing-Affixed Supports for Off-the-floor Water Closets with Concealed Tanks	Table P2701.1, P2702.4
A112.6.3—2001	Floor and Trench Drains	Table P2701.1
A112.18.1—2000	Plumbing Fixture Fittings	Table P2701.1, P2722.1
A112.18.6—1999	Flexible Water Connectors	P2904.7
A112.19.1M—1994 (R1999)	Enameled Cast Iron Plumbing Fixtures	Table P2701.1, P2711.1
A112.19.2M—1998	Vitreous China Plumbing Fixtures	Table P2701.1, P2711.1, P2712.2
A112.19.3M—1987 (R1996)	Stainless Steel Plumbing Fixtures (Designed for Residential Use)	Table P2701.1, P2711.1
A112.19.4M—1994 (R1999)	Porcelain Enameled Formed Steel Plumbing Fixtures	Table P2701.1, P2711.1
A112.19.5—1999	Trim for Water-closet Bowls, Tanks, and Urinals	Table P2701.1
A112.19.6—1995	Hydraulic Performance Requirements for Water Closets and Urinals	Table P2701.1, P2712.1, P2712.2
A112.19.7M—1995	Whirlpool Bathtub Appliances	Table P2701.1
A112.19.8M—1987 (R1996)	Suction Fittings for Use in Swimming Pools, Wading Pools, Spas, Hot Tubs, and Whirlpool Bathtub Appliances	Table P2701.1
A112.19.9M—1998	Non-vitreous Ceramic Plumbing Fixtures	Table P2701.1, P2712.1
A112.19.12—2000	Wall Mounted and Pedestal Mounted, Adjustable and Pivoting Lavatory and Sink Carrier Systems	Table P2701.1, P2711.4, P2714.2
A112.19.13—2001	Electrohydraulic Water Closets	P2712.9
A112.19.15—2001	Bathtub/Whirlpool Bathtubs with Pressure Sealed Doors	Table P2701.1, P2713.2
B1.20.1—1983(R1999)	Pipe Threads, General Purpose (Inch)	G2414.9
B16.3—1999	Malleable Iron Threaded Fittings Classes 150 and 300	Table P2904.6
B16.4—1998	Gray-iron Threaded Fittings Classes 125 and 250	Table P2904.6
B16.9—1993	Factory-made Wrought Steel Butt-welding Fittings	Table P2904.6
B16.11—1996	Forged Fittings, Socket-welding and Threaded	Table P2904.6
B16.12—1998	Cast Iron Threaded Drainage Fittings	Table P2904.6
B16.15—1985(R1994)	Cast Bronze Threaded Fittings	Table P2904.6
B16.18—1984(R1994)	Cast Copper Alloy Solder Joint Pressure Fittings	Table P2904.6
B16.22—1995	Wrought Copper and Copper Alloy Solder Joint Pressure Fittings	Table P2904.6
B16.23—1992	Cast Copper Alloy Solder Joint Drainage Fittings (DWV)	Table P2904.6
B16.26—1988	Cast Copper Alloy Fittings for Flared Copper Tubes	Table P2904.6
B16.28—1994	Wrought Steel Butt-welding Short Radius Elbows and Returns	Table P2904.6
B16.29—1994	Wrought Copper and Wrought Copper Alloy Solder Joint Drainage Fittings-DWV	Table P2904.6
B16.33—1990	Manually Operated Metallic Gas Valves for Use in Gas Piping Systems up to 125 psig (Sizes 1/2 through 2)	G2420.1
B36.10M—2000	Welded and Seamless Wrought-steel Pipe	G2414.4.2
BPVC—1998	Boiler and Pressure Vessel Code (Sections I, II, IV & VI)	M2001.1.1, G2452.1
CSD-1—1996	Controls and Safety Devices for Automatically Fired Boilers	M2001.1.1, G2452.1

REFERENCED STANDARDS

ASSE

American Society of Sanitary Engineering
28901 Clemens Road, Suite 100
Westlake, OH 44145

Standard reference number	Title	Referenced in code section number
1001—90	Performance Requirements for Pipe Applied Atmospheric Type Vacuum Breakers	Table P2902.2, P2902.2.2
1002—99	Performance Requirements for Water Closet Tank Fill Valves	Table P2701.1, Table P2902.2, P2902.3.1
1003—95	Performance Requirements for Water Pressure Reducing Valves	P2903.3.1
1006—89	Performance Requirements for Residential Use Dishwashers	Table P2701.1
1007—92	Performance Requirements for Home Laundry Equipment	Table P2701.1
1008—89	Performance Requirements for Household Food Waste Disposer Units	Table P2701.1
1010—98	Performance Requirements for Water Hammer Arresters	P2903.5
1011—95	Performance Requirements for Hose Connection Vacuum Breakers	Table P2902.2, P2902.2.2, P2902.3.3
1012—95	Performance Requirements for Backflow Preventers with Intermediate Atmospheric Vent	Table P2902.2, P2902.2.3, P2902.3.3, P2902.4.1, P2902.4.5
1013—99	Performance Requirements for Reduced Pressure Principle Backflow Preventers and Reduced Pressure Fire Protection Principle Backflow Preventers	Table P2902.2, P2902.2.5, P2902.4.1, P2902.4.5
1014—90	Performance Requirements for Hand-held Showers	Table P2701.1
1015—99	Performance Requirements For Double Check Backflow Prevention Assemblies and Double Check Fire Protection Backflow Prevention Assemblies	Table P2902.2, P2902.2.6
1016—96	Performance Requirements for Individual Thermostatic, Pressure Balancing and Combination Control Valves for Individual Fixture Fittings	Table P2701.1, P2708.3, P2722.2
1017—99	Performance Requirements for Temperature Actuated Mixing Valves for Hot Water Distribution Systems	P2802.2
1019—97	Performance Requirements for Vacuum Breaker Wall Hydrants, Freeze Resistant, Automatic Draining Type	Table P2701.1, Table P2902.2, P2902.2.2, P2902.3.3
1020—98	Performance Requirements for Pressure Vacuum Breaker Assembly	Table P2902.2, P2902.2.4, P2902.3.3
1023—79	Performance Requirements for Hot Water Dispensers Household Storage Type Electrical	Table P2701.1
1024—98	Performance Requirements for Dual Check Valve Type Backflow Preventers	Table P2902.2
1025—78	Performance Requirements for Diverters for Plumbing Faucets with Hose Spray, Anti-siphon Type, Residential Applications	Table P2701.1
1035—95	Performance Requirements for Laboratory Faucet Backflow Preventers	Table P2902.2, P2902.2.2
1037—90	Performance Requirements for Pressurized Flushing Devices for Plumbing Fixtures	Table P2701.1
1047—99	Performance Requirements for Reduced Pressure Detector Fire Protection Backflow Prevention Assemblies	P2902.2.5, Table P2902.2
1048—99	Performance Requirements for Double Check Detector Fire Protection Backflow Prevention Assemblies	P2902.2.6, Table P2902.2
1050—91	Performance Requirements for Air Admittance Valves for Plumbing Drainage, Waste and Vented Systems—Stack Type Device	P3114.1
1051—98	Performance Requirements for Air Admittance Valves for Plumbing Drainage Systems—Fixture and Branch Devices	P3114.1
1052—94	Performance Requirements for Hose Connection Backflow Preventers	Table P2701.1, Table P2902.2, P2902.2.2, P2902.3.3
1056—95	Performance Requirements for Back Siphonage Vacuum Breaker	Table P2902.2, P2902.2.4, P2902.3.3
1062—97	Performance Requirements for Temperature Actuated, Flow Reduction Valves to Individual Fixture Fittings	Table P2701.1, P2724.1
1066—97	Performance Requirements for Individual Pressure Balancing In-Line Valves for Individual Fixture Fittings	P2722.3

ASTM

ASTM International
100 Barr Harbor Drive
West Conshohocken, PA 19428

Standard reference number	Title	Referenced in code section number
A 36/A 36M—01	Specification for Carbon Structural SteelR606.14
A 53/A53M—01	Specification for Pipe, Steel, Black and Hot-dipped, Zinc-coated Welded and Seamless	Table M2101.1, Table 2904.4.1, Table P2904.5, Table P3002.1, G2414.4.2
A 74—05	Specification for Cast Iron Soil Pipe and Fittings	Table P3002.1, Table P3002.2
A 106—99e	Specification for Seamless Carbon Steel Pipe for High Temperature Service	Table M2101.1, G2414.4.2
A 126—01	Specification for Gray Iron Castings for Valves, Flanges and Pipe Fittings	Table P3002.1
A 153—01a	Specification for Zinc Coating (Hot Dip) on Iron and Steel Hardware	Table R606.14.1

REFERENCED STANDARDS

ASTM—continued

A 167—99	Specification for Stainless and Heat-resisting Chromium-nickel Steel Plate, Sheet, and Strip	R606.14, Table R606.14.1
A 197/A197M—00	Specification for Cupola Malleable Iron	Table P3002.1
A 254—97	Specification for Copper Brazed Steel Tubing	Table M2101.1, G2414.5.1
A 312/A 312M—01	Specification for Seamless and Welded Austenitic Stainless Steel Pipes	Table P2904.4.1, Table P2904.5, Table P2904.6, P2904.10.2
A 377—99	Specification for Ductile Iron Pressure Pipe	Table P2904.4.1
A 510M—00	Specification for General Requirements for Wire Rods and Coarse Round Wire, Carbon Steel Metric	R606.14
A 525-87	Specification for Steel Sheet Zinc-coated (Galvanized) Steel Wire	Table R606.14.1, M1601.1.1
A 539—99	Specification for Electronic-resistance-welded Coiled Steel Tubing for Gas and Fuel Oil Lines.	M2202.1, G2414.5.1
A 615/A 0615M—01b	Specification for Deformed and Plain Billet-steel Bars for Concrete Reinforcement	R404.4.6.1, R611.6.2
A 641/A 0641M—98	Specification for Zinc-coated (Galvanized) Carbon Steel Wire	Table R606.14.1
A 653/A 0653M—00	Specification for Steel Sheet, Zinc-coated (Galvanized) or Zinc-iron Alloy-coated (Galvanized) by the Hot-dip Process.	R505.2.1, R505.2.3, R603.2.1, R603.2.3, R804.2.1, R804.2.3, Table R905.10.3
A 706M—00	Specification for Low-alloy Steel Deformed and Plain Bars for Concrete Reinforcement	R404.4.6.1, R611.6.2
A 755M—99	Specification for Steel Sheet, Metallic Coated by the Hot-dip Process and Prepainted by the Coil-coating Process for Exterior Exposed Building Products.	Table R905.10.3
A 778—01	Specification for Welded Unannealed Austenitic Stainless Steel Tubular Products	Table P2904.4.1, Table P2904.5, Table P2904.6
A 792M—99	Specification for Steel Sheet, 55% Aluminum-zinc Alloy-coated by the Hot-dip Process.	R505.2.1, R603.2.1, R603.2.3, R804.2.1, R804.2.3
A 875/0875M—01a	Specification for Steel Sheet, Zinc-5%, Aluminum Alloy-coated by the Hot-dip Process.	R505.2.1, R505.2.3, R603.2.1, R603.2.3, R804.2.1, R804.2.3
A 888—05	Specification for Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Application.	Table P3002.1, Table P3002.2
A 951—00	Specification for Masonry Joint Reinforcement.	R606.14
A 996/A 996M-00	Specifications for Rail-steel and Axel-steel Deformed Bars Reinforcement for Concrete.	R404.4.6.1, R611.6.2
B 32—00	Specification for Solder Metal	P3003.3.4
B 42—98	Specification for Seamless Copper Pipe, Standard Sizes	Table M2101.1, Table P2904.5, Table P3002.1
B 43—98	Specification for Seamless Red Brass Pipe, Standard Sizes	Table M2101.1, G2413.5.2, Table P3002.1, Table P2904.4.1, Table P2904.5
B 75—99	Specification for Seamless Copper Tube.	Table M2101.1, Table P2904.4.1, Table P2904.5, Table P3002.1, Table P3002.2
B 88—99e1	Specification for Seamless Copper Water Tube	Table M2101.1, G2414.5.2, Table P2904.4.1, Table P2904.5, Table P3002.1, Table P3002.2
B 101—96	Specification for Lead-coated Copper Sheet and Strip for Building Construction.	Table R905.10.3
B 135—00	Specification for Seamless Brass Tube (Metric)	Table M2101.1
B 209—96	Specification for Aluminum and Aluminum-alloy Sheet and Plate.	Table 905.10.3
B 227—98	Specification for Hard-drawn Copper-clad Steel Wire	R606.14
B 251—97	Specification for General Requirements for Wrought Seamless Copper and Copper-alloy Tube	Table M2101.1, Table P2904.4.1, Table P2904.5
B 280—99	Specification for Seamless Copper Tube for Air Conditioning and Refrigeration Field Service.	G2414.5.2
B 302—00	Specification for Threadless Copper Pipe, Standard Sizes	Table M2101.1, Table P2904.5, P2904.4
B 306—99	Specification for Copper Drainage Tube (DWV)	Table M2101.1, Table P3002.1, Table P3002.2
B 370—98	Specification for Copper Sheet and Strip for Building Construction.	Table R905.10.3, Table P2701.1
B 447—00	Specification for Welded Copper Tube.	Table P2904.4.1, Table P2904.5
B 633—98e01	Specification for Electrodeposited Coatings of Zinc on Iron and Steel.	R505.2.4, R603.2.4, R804.2.4
B 813—00e01	Specification for Liquid and Paste Fluxes for Soldering Applications of Copper and Copper Alloy Tube	Table M2101.1, P2904.11, P3003.3.4
B 828—00	Practice for Making Capillary Joints by Soldering of Copper and Copper Alloy Tube and Fittings.	P2904.11
C 5—79(97)	Specification for Quicklime for Structural Purposes	R702.2
C 14—99	Specification for Concrete Sewer, Storm Drain, and Culvert Pipe.	Table P3002.2
C 27—98	Classification of Fireclay and High-alumina Refractory Brick	R1003.5, R1003.8
C 28/C28M—00	Specification for Gypsum Plasters	R702.2
C 34—96(2001)	Specification for Structural Clay Load-bearing Wall Tile	Table R301.2(1)
C 35—95(2001)	Specification for Inorganic Aggregates for Use in Gypsum Plaster	R702.2
C 36/C 0036M—01	Specification for Gypsum Wallboard	R702.3.1
C 37/C 0037M—01	Specification for Gypsum Lath.	R702.2
C 55—01	Specification for Concrete Brick	R202, Table R301.2(1)
C 59/C 0059M—00	Specification for Gypsum Casting and Molding Plaster.	R702.2
C 61/C 0061M—00	Specification for Gypsum Keene's Cement	R702.2
C 62—01	Specification for Building Brick (Solid Masonry Units Made from Clay or Shale)	R202, Table R301.2(1)

ASTM—continued

C 73—99a	Specification for Calcium Silicate Face Brick (Sand Lime Brick)	R202, Table R301.2(1)
C 79—01	Specification for Treated Core and Nontreated Core Gypsum Sheathing Board	Table R602.3(1), R702.3.1
C 90—01	Specification for Load-bearing Concrete Masonry Units	Table R301.2(1)
C 129—01	Specification for Nonload-bearing Concrete Masonry Units and Related Units.	Table R301.2(1)
C 143/C 0143M—00	Test Method for Slump or Hydraulic Cement Concrete.	R404.4.5, R611.6.1
C 145—85	Specification for Solid Load-bearing Concrete Masonry Units	R202, Table R301.2(1)
C 199—84(2000)	Test Method for Pier Test for Refractory Mortar	R1001.9, R1003.5, R1003.8
C 207—97	Specification for Hydrated Lime for Masonry Purposes	Table R607.1
C 208—95(2001)	Specification for Cellulosic Fiber Insulating Board	Table R602.3(1)
C 216—01a	Specification for Facing Brick (Solid Masonry Units Made from Clay or Shale)	R202, Table R301.2(1)
C 236—89 (1993)e1	Test Method for Steady-State Thermal Performance of Building Assemblies by Means of a Guarded Hot Box	N1102.1.1.1
C 270—01a	Specification for Mortar for Unit Masonry	R607.1
C 296—00	Specification for Asbestos Cement Pressure Pipe	Table P2904.4.1
C 315—00	Specification for Clay Flue Linings	Table R1001.11(1), Table R1001.11(2), R1001.8.1, G2425.12
C 406—00	Specifications for Roofing Slate	R905.6.4
C 411—97	Test Method for Hot-surface Performance of High-temperature Thermal Insulation	M1601.2.1
C 425—01	Specification for Compression Joints for Vitrified Clay Pipe and Fittings	Table P3002.2, P3003.3.5
C 443—01	Specification for Joints for Concrete Pipe and Manholes, Using Rubber Gaskets	P3003.3.5
C 475—01	Specification for Joint Compound and Joint Tape for Finishing Gypsum Wallboard	R702.3.1
C 476—01	Specification for Grout for Masonry	R609.1.1
C 514—01	Specification for Nails for the Application of Gypsum Wallboard	R702.3.1
C 557—99	Specification for Adhesives for Fastening Gypsum Wallboard to Wood Framing	R702.3.1
C 578—01	Specification for Rigid, Cellular Polystyrene Thermal Insulation	R403.3
C 587—97	Specification for Gypsum Veneer Plaster	R702.2
C 588/C0588M—99	Specification for Gypsum Base for Veneer Plasters	R702.2
C 630/0630M—01	Specification for Water-resistant Gypsum Backing Board	R702.3.1, R702.4.2
C 631—(2000)	Specification for Bonding Compounds for Interior Gypsum Plastering	R702.2
C 645—00	Specification for Nonstructural Steel Framing Members	R702.3.3
C 652—01a	Specification for Hollow Brick (Hollow Masonry Units Made from Clay or Shale)	R202, Table R301.2(1)
C 700—00	Specification for Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated	Table P3002.2
C 836—00	Specification for High Solids Content, Cold Liquid-applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course	R905.15.2
C 843—99	Specification for Application of Gypsum Veneer Plaster	R702.2
C 844—99	Specification for Application of Gypsum Base to Receive Gypsum Veneer Plaster	R702.2
C 847—(2000)	Specification for Metal Lath	R702.2
C 887—79(96)e1	Specification for Packaged, Dry, Combined Materials for Surface Bonding Mortar	R406.1
C 897—00	Specification for Aggregate for Job-mixed Portland Cement-based Plasters	R702.2
C 931—97	Specification for Exterior Gypsum Soffit Board	R702.3.1
C 933—96a(2001)	Specification for Welded Wire Lath	R702.2
C 954—00	Specification for Steel Drill Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Steel Studs from 0.033 in. (0.84 mm) to 0.112 in. (2.84 mm) in Thickness	R505.2.4, R603.2.4, R702.3.6, R804.2.4
C955—01	Specification for Load-Bearing Transverse and Axial Steel Studs, Runners Tracks, and Bracing or Bridging for Screw Application of Gypsum Panel Products and Metal Plaster Bases	R702.3.3
C 957—93(1998)	Specification for High-solids Content, Cold Liquid—Applied Elastomeric Waterproofing Membrane for Use with Integral Wearing Surface	R905.15.2
C 960—01	Specification for Predecorated Gypsum Board	R702.3.1
C 976—90(1996)e1	Test Method for Thermal Performance of Building Assemblies by Means of a Calibrated Hot Box	N1102.1.1.1
C 1002—01	Specification for Steel Drill Screws for the Application of Gypsum Panel Products or Metal Plaster Bases	R702.3.1, R702.3.6, Table R702.3.4
C 1029—96	Specification for Spray-applied Rigid Cellular Polyurethane Thermal Insulation	R905.14.2
C 1032—96	Specification for Woven Wire Plaster Base	R702.2
C 1047—99	Specification for Accessories for Gypsum Wallboard and Gypsum Veneer Base	R702.2, R702.3.1
C 1063—99	Specification for Installation of Lathing and Furring to Receive Interior and Exterior Portland Cement-based Plaster	R702.2
C 1157—00a	Performance Specification for Hydraulic Cements	R402.2
C 1167—96	Specification for Clay Roof Tiles	R905.3, R905.3.4
C 1173—97	Specification for Flexible Transition Couplings for Underground Piping Systems	P3003.3.5
C 1177/C 1177M—01	Specification for Glass Mat Gypsum Substrate for Use as Sheathing	R702.3.1
C 1178/C 1178M—01	Specification for Glass Mat Water-resistant Gypsum Backing Panel	R702.3.1, R702.4.2

REFERENCED STANDARDS

ASTM—continued

C 1186—99	Specification for Flat Nonasbestos Fiber Cement Sheets	R703.4
C 1261—98	Specification for Firebox Brick for Residential Fireplaces	R1003.5, R1003.8
C 1277—97	Specification for Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings	Table P3002.1, Table P3002.2
C 1278/C 1278M—01	Specification for Fiber-reinforced Gypsum Panels	R702.3.1
C 1283—00e01	Practice for Installing Clay Flue Lining	R1001.9
C 1395/C 1395M—01	Specification for Gypsum Ceiling Board	R702.3.1
C 1396—99	Specification for Gypsum Board	R702.3.1
C 1460—00	Specification for Shielded Transition Couplings for Use with Dissimilar DWV Pipe and Fittings Above Ground	Table P3002.1, Table P3002.2
C 1461—00	Specification for Mechanical Couplings Using Thermoplastic Elastomeric (TPE) Gaskets for Joining Drain, Waste, and Vent (DWV) Sewer, Sanitary and Storm Plumbing Systems for Above and Below Ground Use	Table P3002.1, Table P3002.2
C 1492—01	Specification for Concrete Roof Tile	R905.3.5
D 41—e01	Specification for Asphalt Primer Used in Roofing, Dampproofing, and Waterproofing	Table R905.9.2, Table R905.11.2
D 43—00	Specification for Coal Tar Primer Used in Roofing, Dampproofing and Waterproofing	Table R905.9.2
D 224—89(1996)	Specification for Smooth-surfaced Asphalt Roll Roofing (Organic Felt)	R905.2.8.2
D 225—01	Specification for Asphalt Shingles (Organic Felt) Surfaced with Mineral Granules	R905.2.4
D 226—97a	Specification for Asphalt-saturated (Organic Felt) Used in Roofing and Waterproofing	R703.2, R703.9.1, Table R905.2.3, R905.4.3, R905.5.3, R905.5.4, R905.6.3, R905.7.3, R905.8.3, R905.8.4, Table R905.9.2
D 227—97a	Specification for Coal Tar Saturated (Organic Felt) Used in Roofing and Waterproofing	Table R905.9.2
D 249—89(96)	Specification for Asphalt Roll Roofing (Organic Felt) Surfaced with Mineral Granules	Table R905.9.2, R905.2.8.2, R905.3.3, R905.5.4
D 0312—00	Specification for Asphalt Used in Roofing	R905.9.2
D 371—89(1996)	Specification for Asphalt Roll Roofing (Organic Felt) Surfaced with Mineral Granules: Wide-selvage	R905.5.4
D 422—63(1998)	Test Method for Particle-size Analysis of Soils	R403.1.7.5.1
D 449—89(1999)e01	Specification for Asphalt Used in Dampproofing and Waterproofing	R406.2
D 450—(00)e ¹	Specification for Coal-tar Pitch Used in Roofing, Dampproofing and Waterproofing	Table R905.9.2
D 1227—00	Specification for Emulsified Asphalt Used as a Protective Coating for Roofing	Table R905.9.2, Table R905.11.2, R905.15.2
D 1248—00a	Specification for Polyethylene Plastics Extrusion Materials for Wire and Cable	M1601.1.2
D 1527—99	Specification for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe, Schedules 40 and 80	Table P2904.4.1
D 1693—01	Test Method for Environmental Stress-cracking of Ethylene Plastics	Table M2101.1
D 1784—99a	Standard Specification for Rigid Poly (Vinyl Chloride) (PVC) Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds	M1601.1.2
D 1785—99	Specification for Poly (Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80 and 120	Table P2904.4.1
D 1863—93(2000)	Specification for Mineral Aggregate Used in Built-up Roofs	Table R905.9.2, Table R906.3.2
D 1970—01	Specification for Self-adhering Polymer Modified Bitumen Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection	R905.2.3, R905.2.8.3
D 2104—01	Specification for Polyethylene (PE) Plastic Pipe, Schedule 40	Table P2904.4.1
D 2178—97a	Specification for Asphalt Glass Felt Used in Roofing and Waterproofing	Table R905.9.2
D 2235—01	Specification for Solvent Cement for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe and Fittings	P2904.9.1.1, Table P3002.1, Table P3002.2
D 2239—01	Specification for Polyethylene (PE) Plastic Pipe (SIDR-PR) Based on Controlled Inside Diameter	Table P2904.4.1
D 2241—00	Specification for Poly (Vinyl Chloride) (PVC) Pressure-rated Pipe (SDR-Series)	Table P2904.4.1
D 2282—99	Specification for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe (SDR-PR)	Table P2904.4.1
D 2412—96a	Test Method for Determination of External Loading Characteristics of Plastic Pipe by Parallel-plate Loading	M1601.1.2
D 2447—01	Specification for Polyethylene (PE) Plastic Pipe Schedules 40 and 80, Based on Outside Diameter	Table M2101
D 2464—99	Specification for Threaded Poly (Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80	Table P2904.6
D 2466—01	Specification for Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 40	Table P2904.6
D 2467—99	Specification for Poly (Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80	Table P2904.6
D 2468—96a	Specification for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe Fittings, Schedule 40	Table P2904.6
D 2513—01a	Specification for Thermoplastic Gas Pressure Pipe, Tubing, and Fittings	Table M2101.1, M2104.2.1.3, G2414.6, G2414.6.1, G2414.11, G2415.14.3
D 2564—96a	Specification for Solvent Cements for Poly (Vinyl Chloride) (PVC) Plastic Piping Systems	P2904.9.1.3, Table P3002.1, Table P3002.2
D 2609—00	Specification for Plastic Insert Fittings for Polyethylene (PE) Plastic Pipe	Table P2904.6
D 2626—97b	Specification for Asphalt-saturated and Coated Organic Felt Base Sheet Used in Roofing	R905.3.3, Table R905.9.2
D 2661—01	Specification for Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe and Fittings	Table P3002.1, Table P3002.2
D 2665—01	Specification for Poly (Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent Pipe and Fittings	Table P3002.1, Table P3002.2

ASTM—continued

D 2672—96a	Specification for Joints for IPS PVC Pipe Using Solvent Cement	Table P3002.1, Table, P3002.2, Table P2904.4.1
D 2683—98	Specification for Socket-type Polyethylene Fittings for Outside Diameter-controlled Polyethylene Pipe and Tubing	Table M2101.1, M2104.2.1.1
D 2737—01	Specification for Polyethylene (PE) Plastic Tubing	Table P2904.4.1
D 2751—96a	Specification for Acrylonitrile-Butadiene-Styrene (ABS) Sewer Pipe and Fittings	Table P3002.2
D 2822—91(1997)e ¹	Specification for Asphalt Roof Cement	Table R905.9.2, Table R905.11.2
D 2823—90(1997)e ¹	Specification for Asphalt Roof Coatings	Table R905.9.2, Table R905.11.2
D 2824—94	Specification for Aluminum-pigmented Asphalt Roof Coatings, Non-fibered, Asbestos Fibered, and Fibered without Asbestos	Table R905.9.2, Table R905.11.2
D 2837—98a	Test Method for Obtaining Hydrostatic Design Basis for Thermoplastic Pipe Materials	Table M2101.1
D 2846/D 2846M—99	Specification for Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Hot- and Cold-water Distribution Systems	Table P2904.4.1, Table P2904.5, P2904.9.1.2, M2101.1
D 2855-96	Standard Practice for Making Solvent-Cemented Joints with Poly (Vinyl Chloride) (PVC) Pipe and Fittings	P2904.8.1.3, P3003.3.6.2.
D 2898—94(1999)	Test Methods for Accelerated Weathering of Fire-retardant-treated Wood for Fire Testing	R802.1.3.3
D 2949—00a	Specification for 3.25-in. Outside Diameter Poly (Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent Pipe and Fittings	Table P3002.1, Table P3002.2
D 3019—e01	Specification for Lap Cement Used with Asphalt Roll Roofing, Non-fibered, Asbestos Fibered, and Non-asbestos Fibered	Table R905.9.2, Table R905.11.2
D 3034—00	Specification for Type PSM Poly (Vinyl Chloride) (PVC) Sewer Pipe and Fittings	Table P3002.2
D 3035—01	Specification for Polyethylene (PE) Plastic Pipe (DR-PR) Based On Controlled Outside Diameter	Table M2101.1
D 3161—99a	Test Method for Wind Resistance of Asphalt Shingles (Fan Induced Method)	R905.2.6
D 3201—94(1998)e1	Test Method for Hygroscopic Properties of Fire-retardant Wood and Wood-base Products	R802.1.3.4
D 3212—96a	Specification for Joints for Drain and Sewer Plastic Pipes Using Flexible Elastomeric Seals	Table P3002.2
D 3309—96a	Specification for Polybutylene (PB) Plastic Hot- and Cold-water Distribution Systems	Table P2904.4.1, Table P2904.5, Table M2101.1
D 3350—01	Specification for Polyethylene Plastic Pipe and Fitting Materials	Table M2101.1
D 3462—01e01	Specification for Asphalt Shingles Made From Glass Felt and Surfaced with Mineral Granules	R905.2.4
D 3468—99	Specification for Liquid-applied Neoprene and Chlorosulfanated Polyethylene Used in Roofing and Waterproofing	Table R905.15.2
D 3679—01c	Specification for Rigid Poly (Vinyl Chloride) (PVC) Siding	Table R703.4
D 3737—99	Practice for Establishing Allowable Properties for Structural Glued Laminated Timber (Glulam)	R502.1.5, R602.1.2, R802.1.4
D 3747—e01	Specification for Emulsified Asphalt Adhesive for Adhering Roof Insulation	Table R905.9.2, Table R905.11.2
D 3909—97b	Specification for Asphalt Roll Roofing (Glass Felt) Surfaced with Mineral Granules	R905.5.4, Table R905.9.2, Table R906.3.2
D 4022—94(00)e ¹	Specification for Coal Tar Roof Cement, Asbestos Containing	Table R905.9.2
D 4068—01	Specification for Chlorinated Polyethylene (CPE) Sheeting for Concealed Water Containment Membrane	P2709.2
D 4318—00	Test Methods for Liquid Limit, Plastic Limit and Plasticity Index of Soils	R403.1.7.5.1
D 4434—96	Specification for Poly (Vinyl Chloride) Sheet Roofing	R905.13.2
D 4479—00	Specification for Asphalt Roof Coatings-Asbestos-free	Table R905.9.2
D 4586—00	Specification for Asphalt Roof Cement-Asbestos-free	Table R905.9.2
D 4601—98	Specification for Asphalt-coated Glass Fiber Base Sheet Used in Roofing	Table R905.9.2
D 4637—96	Specification for EPDM Sheet Used in Single-ply Roof Membrane	R905.12.2
D 4829—95	Test Method for Expansion Index of Soils	R403.1.8.1
D 4869—88(1993)e ¹	Specification for Asphalt-saturated (Organic Felt) Underlayment Used in Steep Slope Roofing	R905.2.3
D 4897—01	Specification for Asphalt Coated Glass-fiber Venting Base Sheet Used in Roofing	Table R905.9.2
D 4990—97a	Specification for Coal Tar Glass Felt Used in Roofing and Waterproofing	Table R905.9.2
D 5019-96	Specification for Reinforced Non-vulcanized Polymeric Sheet Used in Roofing Membrane	R905.12.2
D 5055—00	Specification for Establishing and Monitoring Structural Capacities of Prefabricated Wood I-Joists	R502.1.4
D 5516—99a	Test Method for Evaluating the Flexural Properties of Fire-retardant-treated Softwood Plywood Exposed to the Elevated Temperatures	R802.1.3.2.1
D 5643—94(00)e ¹	Specification for Coal Tar Roof Cement Asbestos-free	Table R905.9.2
D 5664—01	Test Methods For Evaluating the Effects of Fire-retardant Treatments and Elevated Temperatures on Strength Properties of Fire-retardant-treated Lumber	R802.1.3.2.2
D 5665—99a	Specification for Thermoplastic Fabrics Used in Cold-applied Roofing and Waterproofing	Table R905.9.2
D 5726—98	Specification for Thermoplastic Fabrics Used in Hot-applied Roofing and Waterproofing	Table R905.9.2
D 6083—97a	Specification for Liquid Applied Acrylic Coating Used in Roofing	Table R905.9.2, Table R905.11.2, Table R905.15.2
D 6162—00a	Specification for Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements	Table R905.11.2
D 6163—00	Specification for Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using Glass Fiber Reinforcements	Table R905.11.2

REFERENCED STANDARDS

ASTM—continued

D 6164—00	Specification for Styrene Butadiene Styrene (SBS) Modified Bituminous Sheet Materials Using Polyester Reinforcements	Table R905.11.2
D 6221—00	Specification for Reinforced Bituminous Flashing Sheets for Roofing and Waterproofing	Table R905.11.2
D 6222—00e01	Specification for Atactic Polypropelene (APP) Modified Bituminous Sheet Materials Using Polyester Reinforcement	Table R905.11.2
D 6223—00e01	Specification for Atactic Polypropelene (APP) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcement	Table R905.11.2
D 6298—98	Specification for Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Bituminous Sheets with a Factory Applied Metal Surface	Table R905.11.2
D 6305—98e1	Practice for Calculating Bending Strength Design Adjustment Factors for Fire-Retardant- Treated Plywood Roof Sheathing	R802.1.3.2.1
E 84—01	Test Method for Surface Burning Characteristics of Building Materials	R202, R3141.1, R3142.6, R314.3, R315.3, R316.1, R316.2, R802.1.3, M1601.2.1, M1601.4.2
E 96—00	Test Method for Water Vapor Transmission of Materials	R202, M1411.4, M1601.3.4, N1102.1.7
E 108—99	Test Methods for Fire Tests of Roof Coverings	R902.1, R902.2
E 119—00a	Test Methods for Fire Tests of Building Construction and Materials	R314.1.2, R317.1, R317.3.1
E 136—99	Test Method for Behavior of Materials in a Vertical Tube Furnace at 750°C	R202
E 152—95	Methods of Fire Tests of Door Assemblies	R314.3
E 330—97e ¹	Test Method for Structural Performance of Exterior Windows, Curtain Walls, and Doors by Uniform Static Air Pressure Difference	R613.3
E 814—00	Test Method for Fire Tests of Through-penetration Firestops	R317.3.1.2
E 970—00	Test Method for Critical Radiant Flux of Exposed Attic Floor Insulation Using a Radiant Heat Energy Source	R316.5
E 1602—94	Guide for Construction of Solid Fuel Burning Masonry Heaters	R1006.2
E 1886—97	Test Method for Performance of Exterior Windows, Curtain Walls, Doors and Storm Shutters Impacted by Missiles and Exposed to Cyclic Pressure Differentials	R301.2.1.2
E 1996—01	Specification for Performance of Exterior Windows, Curtain Walls, Doors and Storm Shutters Impacted by Windborne Debris in Hurricanes	R301.2.1.2
F402-93	Standard Practice for Safe Handling of Solvent Cements, Primers and Cleaners Used for Joining Thermoplastic Pipe and Fittings	P2904.8.1.1, P2904.8.1.2, P2904.8.1.13, P3003.3.6.1, P3003.3.6.2
F 409—99a	Specification for Thermoplastic Accessible and Replaceable Plastic Tube and Tubular Fittings	Table P2701.1, P2702.3
F 437—99	Specification for Threaded Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80	Table P2904.6
F 438—01	Specification for Socket-type Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 40	Table P2904.6
F 439—01	Specification for Socket-type Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80	Table P2904.6
F 441/F 441M—99	Specification for Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe, Schedules 40 and 80	Table P2904.4.1, Table P2904.5
F 442/F 442M—99	Specification for Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe (SDR-PR)	Table P2904.4.1, Table P2904.5
F 477—99	Specification for Elastomeric Seals (Gaskets) for joining Plastic Pipe	P2904.15
F 493—97	Specification for Solvent Cements for Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe and Fittings	P2904.9.1.2
F 628—01	Specification for Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe with a Cellular Core	Table P3002.1, Table P3002.2
F 656—96a	Specification for Primers for Use in Solvent Cement Joints of Poly (Vinyl Chloride) (PVC) Plastic Pipe and Fittings	P2904.9.1.3, Table P3002.1, Table P3002.2
F 714—00	Specification for Polyethylene (PE) Plastic Pipe (SDR-PR) Based on Outside Diameter	Table P3002.2
F 789—95a	Specification for Type PS-46 and Type PS-115 Poly (Vinyl Chloride) (PVC) Plastic Gravity Flow Sewer Pipe and Fittings	Table P3002.2
F 876—00	Specification for Cross-linked Polyethylene (PEX) Tubing	Table M2101.1, Table P2904.4.1
F 877—00	Specification for Cross-linked Polyethylene (PEX) Plastic Hot- and Cold-water Distribution Systems	Table M2101.1, Table P2904.4.1, Table P2904.5
F 891—00	Specification for Coextruded Poly (Vinyl Chloride) (PVC) Plastic Pipe with a Cellular Core	Table P3002.1, Table P3002.2
F 1055—98	Specification for Electrofusion Type Polyethylene Fittings for Outside Diameter Controlled Polyethylene Pipe and Fittings	Table M2101.1, M2104.2.1.2
F 1281—e01	Specification for Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene (PEX-AL-PEX) Pressure Pipe	Table P2904.4.1, Table P2904.5, Table M2101.1
F 1282—01a	Specification for Polyethylene/Aluminum/Polyethylene (PE-AL-PE) Composite Pressure Pipe	Table P2904.4.1, Table P2904.5
F 1488—00	Specification for Coextruded Composite Pipe	Table P3002.1, P3002.2
F 1667—01a	Specification for Driven Fasteners, Nails, Spikes, and Staples	R905.2.5
F 1807—99	Specification for Metal Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing	Table P2904.6, P2904.9.1.4.2, Table M2101.1
F 1960—99	Specification for Cold Expansion Fittings with PEX Reinforcing Rings for Use with Cross-linked Polyethylene (PEX) Tubing	Table P2904.6
F 1974—00	Specification for Metal Insert Fittings for Polyethylene/Aluminum/Polyethylene and Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Composite Pressure Pipe	Table P2904.6

REFERENCED STANDARDS

F 2080—01	Specification for Cold-expansion Fittings with Metal Compression-Sleeves for Crosslinked Polyethylene (PEX) Pipe	.P2904.6, P2904.9.1.4.2
-----------	--	-------------------------

AWPA

American Wood-Preservers' Association
P.O. Box 5690
Granbury, Texas 76049

Standard reference number	Title	Referenced in code section number
C1—00	All Timber Products — Preservative Treatment by Pressure Processes	R319.1, R323.1.7, R902.2.1
C2—01	Lumber, Timbers, Bridge Ties and Mine Ties — Preservative Treatment by Pressure Processes	R319.1, R323.1.7, Table R905.8.5
C3—99	Piles — Preservative Treatment by Pressure Processes	R319.1, R323.1.7
C4—99	Poles — Preservative Treatment by Pressure Processes	R319.1, R323.1.7
C9—00	Plywood — Preservative Treatment by Pressure Processes	R319.1, R323.1.7
C15—00	Wood for Commercial-Residential Construction Preservative Treatment by Pressure Process	R319.1, R323.1.7
C18—99	Standard for Pressure Treated Material in Marine Construction	R319.1, R323.1.7
C20—99	Structural Lumber—Fire-retardant Treatment by Pressure Processes	R802.1.3.2
C22—96	Lumber and Plywood for Permanent Wood Foundations—Preservative Treatment by Pressure Processes	R319.1, R323.1.7, R402.1.2, R504.3
C23—00	Round Poles and Posts Used in Building Construction—Preservative Treatment by Pressure Processes	R319.1, R323.1.7
C24—96	Sawn Timber Used to Support Residential and Commercial Structures	R319.1, R323.1.7
C27—88	Plywood—Fire-retardant Treatment by Pressure Process	R802.1.3.2
C28—99	Standard for Preservative Treatment by Pressure Process of Structural Glued Laminated Members and Laminations Before Gluing	R319.1, R323.1.7
C31—01	Lumber Used Out of Contact With the Ground and Continuously Protected From Liquid Water—Treatment by Pressure Processes	R319.1
C33—00	Standard for Preservative Treatment of Structural Composite Lumber by Pressure Processes	R323.1
M4—01	Standard for the Care of Preservative-treated Wood Products	R320.3.1
P1/P13—01	Standard for Creosote Preservative	R319.1, R323.1.7
P2—01	Standard for Creosote Solutions	R319.1, R323.1.7
P3—01	Standard for Creosote-petroleum Solutions	R319.1, R323.1.7

AWWA

American Water Works Association
6666 West Quincy Avenue
Denver, CO 80235

Standard reference number	Title	Referenced in code section number
C110—98	Standard for Ductile-iron and Gray-iron Fittings, 3 Inches through 48 Inches, for Water	Table P2904.6
C115—99	Standard for Flanged Ductile-iron Pipe with Ductile-iron or Gray-iron Threaded Flanges	Table P2904.4.1
C151—96	Standard for Ductile-iron Pipe, Centrifugally Cast, for Water	Table P2904.4.1
C153—00	Standard for Ductile-iron Compact Fittings for Water Service	Table P2904.6
C510—00	Double Check Valve Backflow Prevention Assembly	Table P2902.2, P2902.2.6
C511—00	Reduced-Pressure Principle Backflow Prevention Assembly	Table P2902.2, P2902.2.5, P2902.4.1

CDA

The Copper Development Association, Inc.
260 Madison Avenue
New York, NY 10016

Standard reference number	Title	Referenced in code section number
4050	Copper in Architecture—Design Handbook	Table R905.10.3

REFERENCED STANDARDS

CGSB Canadian General Standards Board
Place du Portage 111, 6B1
11 Laurier Street
Gatineau, Quebec, Canada KIA 1G6

Standard reference number	Title	Referenced in code section number
37-GP—52M—(1984)	Roofing and Waterproofing Membrane, Sheet Applied, Elastomeric	R905.12.2
37-GP—56M—(1980)	Membrane, Modified Bituminous, Prefabricated and Reinforced for Roofing— with December 1985 Amendment.	Table R905.11.2
CAN/CGSB-37.54—95	Polyvinyl Chloride Roofing and Waterproofing Membrane	R905.13.2

CISPI Cast Iron Soil Pipe Institute
5959 Shallowford Road, Suite 419
Chattanooga, TN 37421

Standard reference number	Title	Referenced in code section number
301—05	Standard Specification for Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste and Vent Piping Applications	Table P3002.1, Table P3002.2
310—04	Standard Specification for Coupling for Use in Connection with Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Applications	Table P3002.1, Table P3002.2

CPSC Consumer Product Safety Commission
4330 East West Highway
Bethesda, MD 20814-4408

Standard reference number	Title	Referenced in code section number
16 CFR Part 1201— (1977)	Safety Standard for Architectural Glazing	R308.1.1, R308.3
16 CFR Part 1209— (1979)	Interim Safety Standard for Cellulose Insulation	R316.3
16 CFR Part 1404— (1979)	Cellulose Insulation	R316.3

CSA Canadian Standards Association
178 Rexdale Blvd.
Rexdale (Toronto), Ontario, Canada M9W 1R3

Standard reference number	Title	Referenced in code section number
8—93	Requirements for Gas Fired Log Lighters for Wood Burning Fireplaces—with Revisions through January 1999	G2433.1
0325.0—92	Construction Sheathing (Reaffirmed 1998)	R503.2.1
0437-Series—93	Standards on OSB and Waferboard (Reaffirmed 2001)	R503.2.1, R803.2.1
B45.1—99	Ceramic Plumbing Fixtures	P2711.1, P2712.1
B45.2—99	Enameled Cast Iron Plumbing Fixtures	P2711.1
B45.3—99	Porcelain Enameled Steel Plumbing Fixtures	P2711.1
B45.4—99	Stainless Steel Plumbing Fixtures	P2711.1, P2712.1
B45.5—99	Plastic Plumbing Fixtures	P2711.2, P2712.1
B45.9—99	Macerating Systems and Related Components	P3007.1
B64.7—94	Vacuum Breakers, Laboratory Faucet Type (LFVB)	Table P2902.2, P2902.2.2
B137.1—99	Polyethylene Pipe, Tubing and Fittings for Cold Water Pressure Services	Table P2904.4.1
B137.2—99	PVC Injection-moulded Gasketed Fittings for Pressure Applications	Table P2904.6
B137.3—99	Rigid Poly (Vinyl Chloride) (PVC) Pipe for Pressure Applications	Table P2904.4.1
B137.5—99	Cross-linked Polyethylene (PEX) Tubing Systems for Pressure Applications— with Revisions through September 1992	Table P2904.4.1, Table P2904.5

CSA—continued

B137.6—99	CPVC Pipe, Tubing and Fittings For Hot and Cold Water Distribution Systems— with Revisions through May 1986	Table P2904.4.1, Table P2904.5
LC3—00	Appliance Stands and Drain Pans	P2801.5
CAN3-B137.8M—99	Polybutylene (PB) Piping for Pressure Applications—with Revisions through July 1992	Table P2904.4.1, Table P2904.5
CAN/CSA A257.3M—92	Joints for Circular Concrete Sewer and Culvert Pipe, Manhole Sections, and Fittings Using Rubber Gaskets	P3003.3.5
CAN/CSA B64.1.1—01	Vacuum Breakers, Atmospheric Type (AVB)	Table P2902.2, P2902.2.2
CAN/CSA B64.2—01	Vacuum Breakers, Hose Connection Type (HCVP)	Table P2902.2, P2902.2.2
CAN/CSA B64.2.2—01	Vacuum Breakers, Hose Connection Type (HCVP) with Automatic Draining Feature	Table P2902.2, P2902.2.2
CAN/CSA B64.3—01	Backflow Preventers, Dual Check Valve Type with Atmospheric Port (DCAP)	Table P2902.2, P2902.2.3, P2902.4.1
CAN/CSA B64.4—01	Backflow Preventers, Reduced Pressure Principle Type (RP)	Table P2902.2, P2902.2.5
CAN/CSA B137.9—99	Polyethylene/Aluminum/Polyethylene Composite Pressure Pipe Systems	Table P2904.4.1
CAN/CSA B137.10M—99	Crosslinked Polyethylene/Aluminum/Polyethylene Composite Pressure Pipe Systems	Table P2904.4.1, Table P2904.5, Table M2101.1
CAN/CSA B602—99	Mechanical Couplings for Drain, Waste, and Vent Pipe and Sewer Pipe	Table P3002.1, Table P3002.2

CSSB Cedar Shake & Shingle Bureau
515 116th Avenue, NE, #275
Bellevue, WA 98004-5294

Standard reference number	Title	Referenced in code section number
CSSB—97	Grading and Packing Rules for Western Red Cedar Shakes and Western Red Shingles of the Cedar Shake and Shingle Bureau	Table R905.7.4, R702.6, R703.5
CSSB—97	Grading and Packing Rules for Western Red Cedar Shakes and Western Red Shingles of the Cedar Shake and Shingle Bureau	Table R905.7.4, R703.5

DOC United States Department of Commerce
100 Bureau Drive Stop 3460
Gaithersburg, MD 20899

Standard reference number	Title	Referenced in code section number
PS 1—95	Construction and Industrial Plywood	R404.2.1, Table R404.2.3, R503.2.1, R604.1, R803.2.1
PS 2—92	Performance Standard for Wood-based Structural-use Panels	R404.2.1, Table R404.2.3, R503.2.1, R604.1, R803.2.1
PS 20—99	American Softwood Lumber Standard	R404.2.1, R502.1, R602.1, R802.1

DOTn Department of Transportation
400 Seventh St. S.W.
Washington, DC 20590

Standard reference number	Title	Referenced in code section number
49 CFR, Parts 192.281(e) & 192.283 (b)	Transportation of Natural and Other Gas by Pipeline: Minimum Federal Safety Standards	G2414.6.1

FEMA Federal Emergency Management Agency
500 C Street, SW
Washington, DC 20472

Standard reference number	Title	Referenced in code section number
TB-2—93	Flood-resistant Materials Requirements	R323.1.7
TB-11—01	Crawlspace Construction for Buildings Located in Special Flood Hazard Area	R408.6

REFERENCED STANDARDS

FM	Factory Mutual Standards Laboratories Department 1151 Boston Providence Turnpike Norwood, MA 02062	
	Standard reference number	Referenced in code section number
	Title	
4450—(1989)	Approval Standard for Class 1 Insulated Steel Deck Roofs—with Supplements through July 1992	R906.1
4880—(2001)	American National Standard for Evaluating Insulated Wall or Wall and Roof/Ceiling Assemblies, Plastic Interior Finish Materials, Plastic Exterior Building Panels, Wall/Ceiling Coating Systems, Interior or Exterior Finish Systems	R314.3

GA	Gypsum Association 810 First Street, Northeast, Suite 510 Washington, DC 20002-4268	
	Standard reference number	Referenced in code section number
	Title	
GA-253—99	Recommended Standard Specification for the Application of Gypsum Sheathing.	Table R602.3(1)

HUD	United States Department of Housing and Urban Development 451 Seventh Street S.W. Washington, DC 20410	
	Standard reference number	Referenced in code section number
	Title	
24 CFR Part 3280 - 94	Manufactured Home Construction and Safety Standards, 1994	R202

HPVA	Hardwood Plywood & Veneer Association 1825 Michael Faraday Drive Reston, Virginia 20190-5350	
	Standard reference number	Referenced in code section number
	Title	
HP-1—2000	The American National Standard for Hardwood and Decorative Plywood.	R702.5

IAS	International Approval Services-U.S., Inc. 8501 East Pleasant Valley Road Cleveland, OH 44131	
	Standard reference number	Referenced in code section number
	Title	
IAS 8-93	Requirements for Gas-Fired Log Lighters for Wood Burning Fireplaces	G2432.1

ICC	International Code Council 5203 Leesburg Pike, Suite 600 Falls Church, VA 22041	
	Standard reference number	Referenced in code section number
	Title	
IBC—03	International Building Code®	R110.2, R322.1, R323.1, R323.1.5, R403.1.8, R1001.8.2, G2402.3
ICC EC—03	ICC Electrical Code®—Administrative Provisions	R107.3, G2402.3
IEBC—03	International Existing Building Code®	R101.2, G2401.1
IECC—03	International Energy Conservation Code®	R104.11
IFC—03	International Fire Code®	R102.7, G2402.3, G2412.2, G2423.1

ICC—continued

IFGC—03	International Fuel Gas Code®	R104.11, G2401.1
IMC—03	International Mechanical Code®	R104.11, M2106.1, G2402.3
IPC—03	International Plumbing Code®	R104.11, G2402.3
IPSDC—03	International Private Sewage Disposal Code®	R323.1.6
IPMC—03	International Property Maintenance Code®	R102.7
SBCCI SSTD 10—99	Standard for Hurricane Resistant Construction	R301.2.1.1

MSS

Manufacturers Standardization Society of the Valve and Fittings Industry
127 Park Street, Northeast
Vienna, VA 22180

Standard reference number	Title	Referenced in code section number
SP-58—93	Pipe Hangers and Supports—Materials, Design and Manufacture	G2418.2
MSS SP-69 -2002	Pipe Hangers and Supports - Selection and Application	P2605.1

NAIMA

North American Insulation Manufacturers Association
44 Canal Center Plaza, Suite 310
Alexandria, VA 22314

Standard reference number	Title	Referenced in code section number
AH 116 06—02	Fibrous Glass Duct Construction Standards	M1601.1.1

NCMA

National Concrete Masonry Association
2302 Horse Pen Road
Herndon, VA 20171-3499

Standard reference number	Title	Referenced in code section number
TR 68-A—75	Design and Construction of Plain and Reinforced Concrete Masonry and Basement and Foundation Walls	R404.1

NCSBCS

National Conference of States on Building Codes and Standards, Inc.
481 Carlisle Drive
Herndon, Virginia 22070

Standard reference number	Title	Referenced in code section number
NCSBCS/ANSI A225-1-1994	American National Standard Manufactured Home Installations	AE501.1, AE501.2, AE502.3

NFPA

National Fire Protection Association
Batterymarch Park
Quincy, MA 02269

Standard reference number	Title	Referenced in code section number
13—02	Installation of Sprinkler Systems	R317.1
13D—02	Installation of Sprinkler Systems in One- and Two-family Dwellings and Manufactured Homes	R317.1
13R—99	Installation of Sprinkler Systems in Residential Occupancies Up to and Including Four Stories in Height	R317.1
31—01	Installation of Oil-burning Equipment	M1801.3.1, M1805.3
54—02	National Fuel Gas Code	G2421.4
58—01	Liquefied Petroleum Gas Code	G2412.2, G2414.6.2
70—02	National Electrical Code	E3301.1, E3301.2, E4201.1, Table E4203.2, E4204.3, E4204.4
72—99	National Fire Alarm Code	R313.1
85—01	Boiler and Combustion Systems Hazards Code	G2452.1
259—98	Standard Test Method for Potential Heat of Building Materials	R314.2.5

REFERENCED STANDARDS

NFPA—continued

286—00	Standard Methods of Fire Tests for Evaluating Contribution of Wall and Ceiling Interior Finish to Room Fire Growth	R314.3, R315.4
501—99	Standard on Manufactured Housing	R202
853—00	Standard for the Installation of Stationary Fuel Cell Power Plants	M1903.1

NFRC

National Fenestration Rating Council, Inc.
8484 Georgia Avenue, Suite 320
Silver Spring, MD 20910

Standard reference number	Title	Referenced in code section number
100—2001	Procedure for Determining Fenestration Product U-factors	N1101.3.2, N1101.3.2.1
200—2001	Procedure for Determining Fenestration product Solar Heat Gain Coefficients and Visible Transmittance at Normal Incidence	N1101.3.2, N1101.3.2.1
400—2001	Procedure for Determining Fenestration Product Air Leakage	N1101.3.2.2

NSF

NSF International
789 N. Dixboro Road
Ann Arbor, MI 48105

Standard reference number	Title	Referenced in code section number
14—1999	Plastic Piping System Components and Related Materials	P2608.3, P2907.3
42—2000	Drinking Water Treatment Units—Anesthetic Effects	P2907.1, P2907.3
44—2001	Residential Cation Exchange Water Softeners	P2907.1, P2907.3
53—2001	Drinking Water Treatment Units—Health Effects	P2907.1, P2907.3
58—2001	Reverse Osmosis Drinking Water Treatment Systems	P2907.2, P2907.3
61—2001	Drinking Water System Components—Health Effects	P2608.5, P2722.1, P2904.4, P2904.5, P2907.3

RMA

Rubber Manufacturer's Association
1400 K Street N.W., Suite 900
Washington, DC 20005

Standard reference number	Title	Referenced in code section number
RP1—90	Minimum Requirements for Non-Reinforced Black EPDM Rubber Sheets	R905.12.2
RP2—90	Minimum Requirements for Fabric-Reinforced Black EPDM Rubber Sheets	R905.12.2
RP3—85	Minimum Requirements for Fabric-Reinforced Black Polychloroprene Rubber Sheets	R905.12.2

SAE

Society of Automotive Engineers
400 Commonwealth Drive
Warrendale, PA 15096

Standard reference number	Title	Referenced in code section number
J 78—(1998)	Steel Self-drilling Tapping Screws	R505.2.4, R603.2.4, R804.2.4

SMACNA Sheet Metal & Air Conditioning Contractors National Assoc., Inc.
4021 Lafayette Center Road
Chantilly, VA 22021

Standard reference number	Title	Referenced in code section number
SMACNA—92	Fibrous Glass Duct Construction StandardsM1601.1.1

TMS The Masonry Society
3970 Broadway, Suite 201-D
Boulder, CO 80304

Standard reference number	Title	Referenced in code section number
402—02	Building Code Requirements for Masonry Structures	R404.1, R606.1, R606.1.1, R606.11.1, R606.11.2.2.1, R606.11.2.2.2, R606.11.3.1
602—02	Specification for Masonry Structures	R404.1, R606.1, R606.1.1, R606.11.1, R606.11.2.2.1, R606.11.2.2.2, R606.11.3.1

TPI Truss Plate Institute
583 D’Onofrio Drive, Suite 200
Madison, WI 53719

Standard reference number	Title	Referenced in code section number
TPI 1—2002	National Design Standard for Metal-plate-connected Wood Truss Construction	R502.11.1, R502.11.2, R802.10.2, R802.10.3, R802.11.1

UL Underwriters Laboratories, Inc.
333 Pfingsten Road
Northbrook, IL 60062

Standard reference number	Title	Referenced in code section number
17—94	Vent or Chimney Connector Dampers for Oil-fired Appliances—with Revisions through September 1999	M1802.2.2
58—96	Steel Underground Tanks for Flammable and Combustible Liquids—with Revisions through July 1998	M2201.1
80—96	Steel Inside Tanks for Oil-burner Fuel	M2201.1
103—98	Factory-built Chimneys for Residential Type and Building Heating Appliances—with Revision through March 1999	R202, R1002.3, G2430.1
127—99	Factory-built Fireplaces—with Revisions through November 1999	R1002.4, R1003.12, R1004.1, R1004.4, G2445.7
174—98	Household Electric Storage Tank Water Heaters—with Revisions through October 1999	M2005.1
181—96	Factory-made Air Ducts and Air Connectors—with Revisions through December 1998	M1601.2, M1601.3.1
181A—95	Closure Systems for Use with Rigid Air Ducts and Air Connectors—with Revisions through December 1998	M1601.2, M1601.3.1
181B—98	Closure Systems for Use with Flexible Air Ducts and Air Connectors—with Revisions through December 1998	M1601.2, M1601.3.1
296—04	Oil Burners	M2001.1.1
325—95	Door, Drapery, Louver and Window Operations and Systems—with Revisions through June 2001	R309.6
343—97	Pumps for Oil-Burning Appliances—with Revisions through December 22, 1999	M2204.1
441—98	Gas Vents	G2426.1
536—97	Flexible Metallic Hose—with Revisions through October 2000	M2202.3
641—95	Type L, Low-temperature Venting Systems—with Revisions through April 1999	R202, R1001.8.5, M1804.2.4, G2426.1
647—93	Unvented Kerosene-Fired Room Heaters and Portable Heaters	1416
726—98	Oil-fired Boiler Assemblies—with Revisions through January 1999	M2001.1.1, M2006.1, G2425.1
727—98	Oil-fired Central Furnaces—with Revisions through January 1999	M1402.1
729—98	Oil-fired Floor Furnaces—with Revisions through January 1999	M1408.1
730—98	Oil-fired Wall Furnaces—with Revisions through January 1999	M1409.1

REFERENCED STANDARDS

UL—continued

732—95	Oil-fired Storage Tank Water Heaters—with Revisions through January 1999	M2005.1
737—96	Fireplaces Stoves—with Revisions through May 1998.	R1002.3, M1414.1
790—98	Tests for Fire Resistance of Roof Covering Materials—with Revisions through July 1998.	R902.1
795—99	Commercial-Industrial Gas Heating Equipment	G2442.1, G2452.1
834—98	Heating, Water Supply, and Power-Electric—with Revisions through November 1998.	M2001.1.1
896—93	Oil-burning Stoves—with Revisions through November 1999.	M1410.1
959—01	Medium Heat Appliance Factory-built Chimneys	R1002.6
923—95	Microwave Cooking Appliances—with Revisions through July 20, 1998.	M1503.1
1040—96	Fire Test of Insulated Wall Construction—with Revisions through April 2001	R314.3
1256—98	Fire Test of Roof Deck Construction—with Revisions through March 2000	R906.1
1261—96	Electric Water Heaters for Pools and Tubs—with Revisions through November 25, 1998	M2006.1
1453—95	Electronic Booster and Commercial Storage Tank Water Heaters—with Revisions through September 1998.	M2005.1
1479—94	Fire Tests of Through-Penetration Firestops	R317.3.1.2
1482—98	Solid-fuel Type Room Heaters—with Revisions through January 2000	M1410.1
1715—97	Fire Test of Interior Finish Material.	R314.3
1738—00	Venting Systems for Gas-burning Appliances, Categories II, III and IV—with Revisions through December 2000.	G2426.1
1777—98	Chimney Liners—with Revisions through July 1998.	R1001.8.1, R1001.15, M1801.3.4, G2425.12, G2425.15.4
1995—98	Heating and Cooling Equipment—with Revisions through August 1999.	M1402.1, M1403.1, M1407.1
2158A—96	Outline of Investigation for Clothes Dryer Transition Duct	M1501.1

ULC

Underwriters' Laboratories of Canada
7 Crouse Road
Scarborough, Ontario, Canada MIR 3A9

Standard reference number	Title	Referenced in code section number
S 102—M88	Surface Burning Characteristics of Building Materials and Assemblies.	R316.2

WDMA

Window & Door Manufacturers Association
1400 East Touhy Avenue, Suite 470
Des Plaines, IL 60018

Standard reference number	Title	Referenced in code section number
101/I.S. 2—97	Voluntary Specifications for Aluminum, Vinyl (PVC) and Wood Windows and Glass Doors	R613.3
101/I.S.2/NAFS—02	Voluntary Performance Specification for Windows, Skylights and Glass Doors	R308.6.9, R613.3, N1101.3.2.2

COPYRIGHT® ICC 2005